steinel

Precision Performance

Hot Air Tools for Electronic Applications

Electronics Industry
Kits & Accessories

STEINEL has precision performance hot air tools for electronic applications and industries such as:

soldering & desoldering

printed circuit boards

medical devices

electronics

automotive

wire harnessing

composite layup

aerospace & defense

telecommunications

heavy equipment

Spreader Nozzle
50 mm
PN: 110048643

Pinpoint Reducer Nozzle
4 mm
PN: 110049668

Reflector Nozzle
14 mm
PN: 110048752

Reflector Nozzle
9 mm
PN: 110048646

Solder Sleeve Nozzle
35 x 20 mm
PN: 110039169

Reflector Nozzle
39mm
PN: 110048645

Protection Guard
Fits 2320 - 1820
PN: 110094472

HL Guard Cage
Fits 2320 - 1820
PN: 110057833

Heat Gun Stand
Magnetic
PN: 110049589

Heat Gun Stand
Vacuum Cup
PN: 110049586

Adapter Nozzle
Fits 2320 - 1920
PN: 110075799

Electronics Kit
HL 2020 E
PN: 110051533

Silver Kit
HL 2020 E
PN: 110051541

Heat Shrink Kit
HL 2020 E
PN: 110093896

Nothing but the BEST

HG 2520 E

ELECTRONIC CONTROL

10,000 HOUR MOTOR LIFE

KEY FEATURES

- LCD display with loc function
- 10,000 hour powerful brushless motor
- Safety heat indicator
- Hanger
- Plug-in heating element
- Ergonomic handle
- Power interrupt feature
- Changeable power cord
- On / Off switch
- Joystick programmable functions
- Non-slip standing surface
- Variable airflow





TECH SPECS

- 120 VAC, 60 Hz power supply
- 1750 W output
- 120 - 1300° F temperature range

PN: 110025599

BETTER than the rest

HG 2320 Eco

ELECTRONIC CONTROL

NEW ENERGY SAVING E-MODE

KEY FEATURES

- Eco auto shut down e-mode
- LCD display with loc function
- Brush motor
- Safety heat indicator
- Hanger
- Ergonomic handle with soft inlay
- Changeable power cord
- Variable airflow
- Joystick programmable functions
- Non-slip standing surface

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1600 W output
- 120 - 1200° F temperature range

PN: 110102124

BETTER than the rest

HG 2320 ESD

KEY FEATURES

- 3 prong grounded plug
- LCD display with loc function
- Brush motor
- Safety heat indicator
- Hanger
- Ergonomic handle with soft inlay
- Changeable power cord
- Variable airflow
- Joystick programmable functions
- Non-slip standing surface

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1600 W output
- 120 - 1200° F temperature range

PN: 110073503

BETTER than the rest

HL 2020 E

KEY FEATURES

- LCD display with new functions
- Brush motor
- Safety heat indicator
- Hanger
- Ergonomic handle with soft inlay
- Changeable power cord
- 3-stage airflow
- Ceramic encapsulated heating element
- Non-slip standing surface
- Heat accumulation warning
- Thermal cut-out, overheat control

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1600 W output
- 120 - 1150° F temperature range

PN: 110025597

BETTER than the rest

HL 1920 E



KEY FEATURES

- Thumbwheel temperature setting
- Brush motor
- Hanger
- Ergonomic handle with soft inlay
- Changeable power cord
- 3-stage airflow
- Ceramic encapsulated heating element
- Non-slip standing surface
- Optimized center of gravity
- Thermal cut-out

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1500 W output
- 120 - 1100° F temperature range

PN: 110025596

GOOD Quality
HL 1820 S

KEY FEATURES
- Brush motor
- Hanger
- Ergonomic handle with soft inlay
- Changeable power cord
- 3-stage airflow
- Ceramic encapsulated heating element
- Non-slip standing surface
- Optimized center of gravity
- Thermal cut-out

TECH SPECS
- 120 VAC, 60 Hz power supply
- 1400 W output
- 120 / 750 / 1100° F, 3 temperature options

PN: 110025541

GOOD Quality
HL 1620 S

DEAL BUSTER

KEY FEATURES

- Dual temperature options
- Brush motor
- Changeable power cord
- 2-stage airflow
- Ceramic encapsulated heating element

TECH SPECS

- 120 VAC, 60 Hz power supply
- 1300 W output
- 575 / 950° F, 2 temperature options

ACCESSORIES ON PAGE 1

MORE ACCESSORIES AVAILABLE

PN: 110023455

NEW Possibilities
Mobile Heat 5

IDEAL FOR FIELD REPAIRS

KEY FEATURES

- Flexible setting options
- LCD display
- 4 preset application specific applications
- Safety start button
- LED illumination on base of tool
- Compatible with all push-on nozzles
- Rechargeable

TECH SPECS

- 18 volts power supply
- 900 - 1000 W output
- 120 - 930° F temperature range

ADDITIONAL BATTERIES AVAILABLE

ASK ABOUT MOBILE HEAT KITS

PN: 110080698

NEW Possibilities

Mobile Heat 3

KEY FEATURES

- Dual temperature options
- Safety start button
- LED illumination on base of tool
- Compatible with all push-on nozzles
- Rechargeable

TECH SPECS

- 18 volts power supply
- 600 W output
- 570 or 930° F, 2 temperature options

PN: 110080696

Steinel America, Inc.
9051 Lyndale Ave. South
Bloomington, MN 55420

Support: (800) 852-4343
Email: sales@steinel.net

www.steineltools.net

steinel

v. 10.25